


'(6,*1

67$1'$5'

K. Documentation

# Contents

Revision log ..... 3
1. Abbreviations ..... 4
2. Introduction ..... 4
3. Technical Requirements ..... 4
3.1 General Documentation Requirements ..... 4
3.1.1 Purpose of documentation ..... 5
3.1.2 Scope of documentation ..... 5
3.1.3 Timing for Delivery of Documents ..... 5
3.1.4 Departures ..... 5

8../F1.8.52.Tf 1 0 0 1 481.72 599.62 Tm 0.302 0.302 0.31 rg 0.302 0.302 TJ ET Q q 0.000008873 0 595.4Q Q 0 595.44 841.68 r.0.7

## 3.2 Glossary of Terms

### 3.2.1 Numbering and Naming of facilities

All campuses/sites, buildings, levels, rooms and spaces where the University of Adelaide have occupancy, or have previously occupied, must be numbered and named in accordance with this Standard.

### 3.2.6 Unique Room Identifier (Loccode)

It is critical that the numbering conventions outlined in this Standard are adhered to, because it is from these numbers (Campus Code- Building Code - Floor Level Code- Room Number)

example NT-NT05-04-207

Facilities and Space Management Database and other Applications . Room attributes include such things as condition, assets, people, room type, occupancy, capacity, space charging. Tracking of these attributes forms the basis for the development of management and maintenance strategies across all infrastructure facilities at the University.

### 3.2.7 Area

The areas listed below are generally defined by the UoA Method of Measurement and captured digitally

Register of documents

and all other supporting documentation

The As Built documentation is an integral part of the Operation and Maintenance Manual (O&M Manuals) produced as part of the post-construction documentation set.

The As Built documentation must be certified as compliant w ith the Standard (this document) as part of the certification process outlined in clause 2.4 02 0.30h&the Operatio-

## 3.3 Appendix

### 3.3.1 Documentation - Deliverables

This document outlines the minimum deliverables and requirements all projects need to achieve in order to have Documentation accepted by The University of Adelaide .

### 3.3.2 Documentation ² Deliverable Timing

This document outlines the deliverable timing requirements all projects need to achieve in order to have Documentation accepted by The University of Adelaide .

### 3.3.3 Documentation - Document Detail Matrix

## 3.4 Workflow

How to use the Volume K documents



| | | | |
|---|---|---|---|
| | | | |

-

| DOCUMENT | REQUIREMENTS |
|---|---|
| **Transmittals** | **Tool**<br>**x** Aconex is to be used for all Document Management for Projects.<br>x Other bulk file transfer application maybe used by only used by negotiation with Project PM<br><br>**Register**<br>**x** Documents shall have an electronic "Document Transmittal"<br><br>**Document Transmittal** |

| DOCUMENT | REQUIREMENTS |
|---|---|
| **9.0**<br>**Manuals** | In addition to the "All Documentation" requirements, **manuals** shall have the following:<br><br>**template**<br>**x** Created from current UofA template<br><br>**file type**<br>**x** Searchable PDF version<br><br>**Identification**<br>**x** Consistent referencing (footers, headers etc)<br>x Content page /Index<br>x Links to sections for easier navigation<br>x Official 'Project Description' (consistent across manuals with additional Discipline specific description)<br><br>**scope**<br>**x** Include all relevant appendices<br>x Include only relevant material or highlight relevant material used/incorporated in project<br>x Include all relevant DRAWINGS – PDF within the document<br>x Include all relevant DRAWINGS – PDF and DRAWINGS (CAD separate to the document)<br>x Include all relevant Document Registers |
| **10.0**<br>**Specifications** | In addition to the "All Documentation" requirements<br>**vash26lf5()0o.64 6 0.004 Twt0.227o.64 53vements** |

d [(P2 Tm ( )Tj2l)3.[ vn0.7(lrTJ 1.siTJ 1.o(d)4.6(t)2.)1.7(t)8(i0.607 0 Td (.88 Tm ( )781 236.04--54 >> )Tn)-0.7(t)]TJ 0 .88 Tm ( )7j ET EMC Q BT /P <T

# DOCUMENT LIFECYCLE

Description

Thisdocument outlines the lifecycle of documentation need for projects. To be read in conjunction with UofA Standards Vol K and Document Deliverables.

## Contents

DOCUMENT LIFECYCLE – HOW TO USE THIS DOCUMENT ..... 3

SPACE DATA – ROOM NUMBERING /2 Tc(M)CjectCR]TJ -(OC)-9(C)VeO(E)-4.8L TR]TJ CE .....

# DOCU

# SPACE DATA – ROOM NUMBERING / SPACE DATA COLLECTION

| USE | Room Numbering / Space Data Collection |
|---|---|
| DETAILS | Room/Space Numbering - All rooms, spaces between rooms (for example circulation spaces) and other spaces must be numbered and named in accordance with Standards.<br><br>Space Data Collection - Documentation detailing the Area, Capacity, and Occupancy shall be issued during the Project<br><br>The Space Data must accu Tw -36nt.18 re W n BT uTw 9-4.7( b-0.6(d 4( C)0.7(apf4(i)-3.3(o)1.7(ap6nt.4(u)- |

# ASSET/EQUIPMENT REGISTER

| | |
|---|---|
| USE | - |
| DETAILS | The University maintains Asset and Equipment Registers that record both removed/ demolished ite and new items.<br>x The existing schedule must be issued by the UoA Project Manager to Consultants at the commencement of the project (as required) as a reference.<br>x Amendments to the registers must be proposed as part of the design and documentation process by the Consultant.<br>x Allocation of equipment and asset numbers will made by UofA CPFM for inclusion in the project documentation.<br>x Refer relevant Volume of the Standard for asset labelling requirements as they relate to the various technical disciplines.<br>x Schedules for Asset Register template. Update of the master asset/ equipment registers will be made by the UoA based on the post construction documentation package containing the as built information. |
| DOCUMENT DELIVERABLE | Registers<br>Drawings - PDF |
| TEMPLATE<br>TEMPLATE FORMAT | Contractors and Consultants web portal |

# O&M MANUALS

| | |
|---|---|
| USE | Operation and Maintenance Manuals for ongoing Facilities Management |

DETAIL84.38 394.97998 m36

# ESP – ESSENTIAL SAFETY PROVISION PLANS

| | |
|---|---|
| USE | ESP (Essential Safety Provisions) – various disciplines |
| DETAILS | Where ESP documentation has been changed or modified in a project, the ESP will be updated to date to Practical Completion. UofA will be provided with a full set of revised documents<br><br>UofA will update the master ESP documentation (record copy)<br><br>ESP documents include:<br>x ESP – Fire |

## STAKEHOLDER SIGNOFF R022EFER022ENCf 3.47Ei1 Tc.86Q>39]@

| | |
|---|---|
| USE | - |
| DETAILS | In accordance with Volume A Project Process ChecklistLklcSI4.9(e)4p-0.6(c).9(e(c)4(k)6 0.7(h)-0 · |

# DEPARTURE SCHEDULE

| | |
|---|---|
| USE | - |
| DETAILS | In accordance with Volume A Project Process Checklist and parts 1 and 2 of this document, throug the project delivery process, milestone documentation issues must be reviewed and signed off by UoA and stakeholders, prior to proceeding to the next phase, or in the case of the final post |

# BUILDING EVACUATION PLANS

| | |
|---|---|
| USE | Critical evacuation plans for building occupants |
| DETAILS | |
| DOCUMENT DELIVERABLE | |
| TEMPLATE | Drawings – PDF |
| TEMPLATE FORMAT (PROVIDED) | Contractors template |
| RISK | |
| REFERENCE | |
| FILING | Internal filing – UniSpace Archives |

## LIFECYCLE PROCESS

### Phase Feasibility Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|
| Consultants | To be completed by CPFM | UofA CPFM |
| | | |

### Phase

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

# PROJECT BUDGET / PROJECT COST PLAN

| | |
|---|---|
| USE | To be completed by CPFM |
| DETAILS | To be completed by CPFM |
| DOCUMENT DELIVERABLE | To be completed by CPFM |
| TEMPLATE | To be completed by CPFM |
| TEMPLATE FORMAT (PROVIDED) | To be completed by CPFM |
| RISK | To be completed by CPFM |
| REFERENCE | To be completed by CPFM |
| FILING | To be completed by CPFM |

## LIFECYCLE PROCESS

## Phase Feasibility Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|
| Consultants | To be completed by CPFM | |

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

# PROJECT MANAGEMENT PLAN

| | |
|---|---|
| USE | To be completed by CPFM |
| DETAILS | To be completed by CPFM |
| DOCUMENT DELIVERABLE | To be completed by CPFM |
| TEMPLATE | To becompleted by CPFM |
| TEMPLATE FORMAT (PROVIDED) | To be completed by CPFM |
| RISK | To be completed by CPFM |
| REFERENCE | To be completed by CPFM |
| FILING | To be completed by CPFM |

## LIFECYCLE PROCESS

### Phase Feasibility Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|
| Consultants | To be completed by CPFM | UofA CPFM |
| | | |

### Phase Start-Up Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|
| Consultants | To be completed by CPFM | UofA CPFM |
| | | |

### Phase Detailed Briefing Phase

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

# QA CHECKLIST (PHASE 1)

USE

# RISK MANAGEMENT PLAN / RISK REGISTER

| | |
|---|---|
| USE | To be completed by CPFM |
| DETAILS | To be completed by CPFM |
| DOCUMENT DELIVERABLE | To be completed by CPFM |

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

# STAKEHOLDER ENGAGEMENT PLAN / STAKEHOLDER CONSULTATION P

| | |
|---|---|
| USE | To be completed by CPFM |
| DETAILS | To be completed by CPFM |
| DOCUMENT DELIVERABLE | To be completed by CPFM |
| TEMPLATE | To be completed by CPFM |
| TEMPLATE FORMAT (PROVIDED) | To be completed by CPFM |
| RISK | To be completed by CPFM |
| REFERENCE | To be completed by CPFM |
| FILING | To be completed by CPFM |

## LIFECYCLE PROCESS

## Phase Feasibility Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|

# TRAFFIC MANAGEMENT PLAN

| | |
|---|---|
| USE | To be completed by CPFM |
| DETAILS | To be completed by CPFM |
| DOCUMENT DELIVERABLE | To be completed by CPFM |
| TEMPLATE | To becompleted by CPFM |
| TEMPLATE FORMAT (PROVIDED) | TFM |

## Phase Hand-Over Phase

| RESPONSIBILITY | ACTION | RECIPIENT |
|---|---|---|
| Consultants | Incorporate signed and dated version of Stakeholder Signoff in C Manual | |

# DOCUMENT CHECKLIST FOR PROJECTS

UofA Standard
Volume K - Documentation

## Revision log

Current issue
K. Documentation - UoA Design Standards – Appendix:

Previous issues

| Version | Authors | Description/ updates | Revision |
|---|---|---|---|
| - | - | - | - |



| Document Type | Item Number | Details | Requirements / Specification | Builder (SARAHS) | Architectural | Civil / Structural | Mechanical | Electrical | Hydraulic | Communication | Fire | Security | * other | * other | * other | CPFM - Project Manager | CPFM - STO | CPFM - Facilities | BSI / UniSpace | * other | * other |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Drawings - CAD | 03.05 | cleanse | All drawings shall be purged and audited, free of errors and surplus information. Any unused drawings elements to be removed. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - CAD | 03.06 | standards for printing | Only standard "A" or "B" sized paper sizes shall be used. (A0, A1, A2, A3, A4 or B1 only) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - CAD | 03.07 | blocks | All blocks of the same type to be named the same within the drawing | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - CAD | 03.08 | areas | All refurbishments - Provide a schedule of overall building areas. UFA, GBA, GFA and NLA. (where areas have been effected) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - PDF | 04.01 | paper size | All drawings to have 'sheet' size and scale included in the title block | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - PDF | 04.02 | scale | All pdf drawings to be printed at the same size as the title block (i.e. no scale to fit prints) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - PDF | 04.03 | revisions | All drawings to have the date printed/revision included. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - PDF | 04.04 | drawing numbers | A unique drawing number for every drawing/layout for every job | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drawings - PDF | 04.05 | layers | All pdf drawings to have NO layers - i.e. a flattened pdf | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mark Ups | 05.01 | format | All mark ups of UofA Published drawings shall be completed on the current / latest revision of the drawing. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Photos | 06.01 | identification | Clear description / schedule of contents in photo - i.e. building name/room number/aspect etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Photos | 06.02 | file size | Provide hi-res and low-res version of each photo, where files size over 3MB | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| BIM | 07.01 | detail | Provide individual 2D cad file for all BIM plotsheets | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Reports | 08.01 | format | All Reports to be issued as one 'combined' pdf (one file) - including drawings, appendix etc. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&M Manuals | 09.01 | format | All Manuals to be issued as one 'combined' pdf (one file) - including all drawings, catalogues | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| O&M Manuals | 09.02 | format | Only relevant drawings and schedules etc. to be included | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

| Document Type | Item Number | Details | Requirements / Specification | Builder (SARAHS) | Architectural | Civil / Structural | Mechanical | Electrical | Hydraulic | Communication | Fire | Security | * other | * other | * other | CPFM - Project Manager | CPFM - STO | CPFM - Facilities | BSI / UniSpace | * other | * other |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Discipline Specific - Cleaning | 22.07 | compliance | Provide evidence of compliance with Design Standard Volume B and deviations from Standard have been documented and provided | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Discipline Specific - Electrical | 23.01 | compliance | Provide Legends in correct format and to University standard | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Discipline Specific - Electrical | 23.02 | compliance | Warranty information included for relevant, installed equipment (e.g. LED lighting installed fixtures not the complete brochure of every fixture that the company makes) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Discipline Specific - Hydraulic | 24.02 | compliance | Documentation required for Backflow prevention. Test Certificate and location details (drawing) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Discipline Specific - Hydraulic | 24.03 | detail | | | | | | | | | | | | | | | | | | | |

DOCUMENT O&M MANUAL MATRIX

UofA Standard
Volume K - Documentation

Revision log

Current issue

K. Documentation - UoA Design Standards – Appendix:

Previous issues

| Version | Authors | Description / updates | Revision | Date |
|---|---|---|---|---|

| vol | O&M Manual | section | section name | 50% DRAFT Submission / Review Workflow | 95% PC (Practical Completion) Submission / Review Workflow | 100% FINAL Submission / Review Workflow | description of requirement |
|---|---|---|---|---|---|---|---|
| 2 | ARCHITECTURAL | 2.4 | Finishes | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | Description of the Installation | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.2 | Directory of Contacts | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.3 | Asset Register | | y | y | |
| 2 | ARCHITECTURAL | 2.4.4 | Defects Liability Period (DLP) Maintenance Schedule | | y | y | |
| 2 | ARCHITECTURAL | 2.4.5 | Care and Maintenance Instructions | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.6 | Essential Services Provisions | | y | y | |
| 2 | ARCHITECTURAL | 2.4.7 | Certificates and Warranties | | y | y | |
| 2 | ARCHITECTURAL | 2.4.8 | Installation, Dismantling and Technical (Performance) Data | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.9 | Operating Instructions | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | As-Built Drawings | | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | Commissioning and Testing Data | | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | Tools and Testing Equipment | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | Spares and Consumables | y | y | y | |
| 2 | ARCHITECTURAL | 2.4.1 | Imported Equipment | y | y | y | |
| 3 to 8 | SERVICES | i. | Document Control Resources | y | y | y | |
| 3 to 8 | SERVICES | ii. | Document Approval, Use and Revision History | y | y | y | |
| 3 to 8 | SERVICES | iii. | Document Guide | y | y | y | |
| 3 to 8 | SERVICES | 1.1 | Description of the Installation | y | y | y | |
| 3 to 8 | SERVICES | 1.2 | Directory of Conta 10d Revision Hion | | | | |




K. Documentation

## 4. Schedules

### 4.1 Certification of Compliance with UoA Design Standards and Project Brief

The below templates (or equivalent) must be used to certify compliance with the UoA Design Standards, and Project Brief and disclose any departures for approval.




Figure 1. Statement of Compliance and Schedule of Departures / Clarifications